Bearings for RTG and STS Cranes

Regal Beloit Belgium Bulletin ISO 9001 certified





Application info: RTG and STS cranes

Application Info

CUSTOMER:

One of the world's largest crane manufacturers

APPLICATION:

RTG cranes (Rubber tyred gantry cranes, also called transtainers) are mobile gantry cranes used in intermodal operations to ground or stack containers. Intermodal operations means these containers can be used across different modes of transport - from ship to rail to truck - without unloading and reloading their cargo.

Aside from the intermodal industry in seaports, RTG cranes also are extensively used in industry. Other applications are: erecting large unbalanced structures, assembling large manufacturing components, and positioning pipelines.

STS cranes (Ship-to-shore cranes, also called container cranes or container handling gantry cranes) can be found in container terminals. These large dockside gantry crane are used for loading and unloading intermodal containers from container ships.

WHY ROLLWAY:

This crane manufacturer has been using Rollway bearings since 2006. They needed bearings with an optimized quality / price ratio on which they can rely. The performance of the Rollway bearings has created a long relationship with this customer.

RTG and STS cranes with these bearings are operating all across the globe: USA, Brazil, Italy, Turkey, Belgium, Panama, Nigeria, China, Egypt,...



ROLLWAY BEARING TYPES IN RTG AND STS CRANES:

- Spherical roller bearing
- Tapered roller bearing
- Deep groove ball bearing
- (Full complement) cylindrical roller bearing

A Regal Brand



Application info: RTG and STS cranes

LOCATION OF THE BEARINGS IN STS CRANES:



Spherical roller bearings and tapered roller bearings are located here in the track



A Regal Brand



Application info: RTG and STS cranes

LOCATION OF THE BEARINGS IN RTG CRANES:



Trolley on the crane tower





Spherical roller bearing located inside



ROLLWAY.

Regal Beloit Belgium nv Heiveldekens 16 2550 Kontich, Belgium Tel:

+32 (0)3 457 68 70 +32 (0)3 457 51 38 Fax:

E-mail: info-belgium@regalbeloit.com

www.RegalPTS.com

APPLICATION CONSIDERATIONS

The proper selection and application of power transmission products and components, including the related area of product safety, is the responsibility of the customer. Operating and performance requirements and potential associated issues will vary appreciably depending upon the use and application of such products and components. The scope of the technical and application information included in this publication is necessarily limited. Unusual operating environments and conditions, lubrication requirements, loading supports, and other factors can materially affect the application and operating results of the products and components and the customer should carefully review its requirements. Any technical advice or review furnished by Regal Beloit America, Inc. and its affiliates with respect to the use of products and components is given in good faith and without charge, and Regal assumes no obligation or liability for the advice given, or results obtained, all such advice and review being given and accepted at customer's risk.

For a copy of our Standard Terms and Conditions of Sale, Disclaimers of Warranty, Limitation of Liability and Remedy, please contact Customer Service at 1-800-626-2120. These terms and conditions of sale, disclaimers and limitations of liability apply to any person who may buy, acquire use a Regal Beloit America Inc. product referred to herein, including any person who buys from a licensed distributor of these branded products.

